

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.		South Boundary.	
Sec. 36		All marsh.		Sec. 36	N. of marsh rolling 1 <sup>st</sup> rate - Sugar, Oak, Ash, Lymn, W. & B. Walnut.
		" 25	N. & marsh - bal. rolling 2 <sup>nd</sup> rate - Oak, Ash, Poplar &c.	" 35	Same
		" 24	Bottoms 1 <sup>st</sup> rate - Upland rolling 2 <sup>nd</sup> rate - Sugar, Lymn, Beech, Oak, Ash, Poplar &c.	" 34	Barrens thin, marshy wet, E. & W. of do. rolling 1 <sup>st</sup> rate - Sugar, Lymn, Walnut, Ash &c.
		" 13	Same	" 33	Rolling 2 <sup>nd</sup> rate - Oak, Beech, Sugar &c.
		" 12	Same	" 32	Same
" 1		Same		" 31	High rolling - heavily timbered - Oak
35, 36,		Level 2 <sup>nd</sup> rate - Sugar, Beech, Lymn, Aspen, Oak, Walnut &c. &c.		35, 36,	
		Same			
		Gently rolling 2 <sup>nd</sup> rate - Timber same.			
		Same			
		S. & same - N. & level 1 <sup>st</sup> rate - Sugar, Beech, Lymn &c.			
25, 26,		W. & 1 <sup>st</sup> rate - Oak rolling 2 <sup>nd</sup> rate - Timber same.		25, 26,	
		1 <sup>st</sup> rate - Sugar, Beech, Lymn, Walnut, Ash &c.			
		Gently rolling 2 <sup>nd</sup> rate - Timber same.			
		Rolling 2 <sup>nd</sup> rate - Timber same.			
		Level 2 <sup>nd</sup> rate - Timber same			
1, 2,		S. & 1 <sup>st</sup> rate Walnut bottom. N. & marshy poor 2 <sup>nd</sup> rate.		1, 2,	
		N. & barrens. S. & 1 <sup>st</sup> rate - Sugar, Beech, Lymn, Oak &c.			
		Level 2 <sup>nd</sup> rate - Timber same			
		1 <sup>st</sup> rate - Timber same			
		Same			
34, 35,		Same		34, 35,	
		Part 2 <sup>nd</sup> rate - Part 3 <sup>rd</sup> rate - Timber same.			
		S. & 2 <sup>nd</sup> rate - Beech, Sugar, Lymn, Hickory &c. - N. & broken 3 <sup>rd</sup> rate - Oak &c.			
		3 <sup>rd</sup> rate - Oak, Hickory &c.			
		2 <sup>nd</sup> rate - N. Oak & Beech - heavy undergrowth the Sassafras, maple &c.			
2, 3,		Same		2, 3,	
		Rolling 2 <sup>nd</sup> rate - Oak, Beech, Sugar, Lymn &c.			
		2 <sup>nd</sup> rate - B. & W. Oak.			
		Very rolling 3 <sup>rd</sup> rate - B. & W. Oak.			
		Beech, Sugar, Lymn, Walnut Oak &c. N. & Sugar, Lymn, Beech &c.			
27, 28,		S. & broken 3 <sup>rd</sup> rate - N. & B. Oak - N. & 2 <sup>nd</sup> rate - Sugar, Beech, Lymn &c.		27, 28,	
		2 <sup>nd</sup> rate - N. & rolling - E. & inclined to be wet - Sugar, Beech, Lymn, Hickory			
		Gently rolling 2 <sup>nd</sup> rate - Timber same.			
		Rolling 3 <sup>rd</sup> rate - Oak, Beech, Poplar &c. Maple &c.			
		Not Beech land - Timber same.			
15, 16,		Level 2 <sup>nd</sup> rate - Timber same.		15, 16,	
		2 <sup>nd</sup> rate - Beech, Sugar, Lymn, B. Oak, Ash, Poplar &c.			
		A small part of S. W. thick timber - balance poor barrens marshy &c.			
		Rich bottom land - Walnut, Elm &c.			
		Rolling 2 <sup>nd</sup> rate - Beech, Sugar, Lymn, Elm &c.			
20, 21,		Same		20, 21,	
		Same			
		Same			
		Same			
		Same			
16, 17,		S. & open 2 <sup>nd</sup> rate - N. & broken 3 <sup>rd</sup> rate - Oak, Hickory &c.		16, 17,	
		N. & swampy barrens - E. & thick timber entirely cut up with deep ravines			
		2 <sup>nd</sup> rate - N. & B. Oak.			
		S. & rolling barrens - N. & rich Oak & Walnut openings.			
		2 <sup>nd</sup> rate - Oak openings & barrens.			
29, 30,		S. & thick timber & deep ravines - N. & more level		29, 30,	
		Rich Oak & Walnut openings, barrens &c.			
		Rolling 2 <sup>nd</sup> rate			
		2 <sup>nd</sup> rate - Birch, Sugar, Oak &c.			
		Same			
17, 18,		Same		17, 18,	
		Same			
		Same			
		Same			
		Same			
8, 9,		S. & 2 <sup>nd</sup> rate - N. & bottom land grass marshy barrens.		8, 9,	

Corners on small Lake.				
Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1	N. Oak	18	S 45° W	11
	N. Oak	18	S 60° E	37
2	N. Oak	16	N 51° W	27
	N. Oak	8	S 82° E	19
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				

The figures in this column refer to the Posts numbered in red ink on the Plate.



## Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>A</b>	N. Oak	20	S 64 E	44
<b>a</b>	N. Oak	16	N 12 E	38
<b>B</b>	R. Oak	18	S 32 W	140
<b>b</b>	N. Oak	30	S 67 E	280
<b>C</b>	Beech	18	S 37 E	21
<b>c</b>	Beech	18	S 23 W	26
<b>D</b>	Beech	6	S 77 1/2 W	4
<b>d</b>	Beech	6	S 58 1/2 E	34
<b>E</b>	Aspen	4	S 30 W	17
<b>e</b>	Aspen	3	S 25 E	20
<b>F</b>	Beech	8	S 58 E	19
<b>f</b>	Sugar	20	S 38 1/2 W	62
<b>G</b>	N. Oak	13	N 67 1/2 E	388
<b>g</b>	Elm	12	S 62 1/2 W	344
<b>h</b>	Beech	16	S 53 W	24
<b>h</b>	Beech	8	N 14 W	13
<b>h</b>	Sugar	6	N 12 W	10
<b>h</b>	Sugar	15	S 89 W	12
<b>h</b>	Sugar	12	N 71 1/2 W	34
<b>I</b>	N. Walnut	12	S 89 W	55
<b>I</b>	Sugar	30	N 50 W	14
<b>i</b>	Beech	14	S 47 W	40
<b>i</b>	Lynn	8	N 20 W	20
<b>K</b>	Sugar	10	S 62 W	39
<b>K</b>	Maple	13	N 6 W	13
<b>k</b>	Elm	12	S 70 W	30
<b>k</b>	N. Oak	40	S 60 W	38
<b>L</b>	Poplar	18	N 76 W	32
<b>L</b>	N. Oak	26	N 50 W	23
<b>l</b>	Elm	9	S 84 W	23
<b>l</b>	Elm	11	S 57 W	23
<b>M</b>	R. Oak	11	N 53 1/2 W	32
<b>m</b>	R. Oak	17	N 82 1/2 W	106
<b>m</b>	R. Oak	14	S 71 W	89
<b>m</b>	Post in mound			
<b>N</b>	Post in mound			
<b>n</b>	N. Oak	18	N 52 1/2 W	336
<b>o</b>	R. Oak	16	N 87 E	65
<b>o</b>	N. Oak	14	N 78 W	58
<b>o</b>	Sugar	14	N 33 W	23
<b>o</b>	Beech	20	N 76 E	61
<b>P</b>	Sugar	20	N 53 E	68
<b>p</b>	Hickory	5	N 36 W	8
<b>p</b>	N. Oak	5	N 39 W	24
<b>q</b>	Aspen	14	N 71 1/2 E	126
<b>Q</b>	Beech	14	N 64 1/2 W	65
<b>q</b>	Beech	16	N 89 1/2 E	41
<b>q</b>	Beech	18	N 3 W	45
<b>q</b>	Beech	17	N 39 E	66
<b>R</b>	R. Oak	18	N 85 W	14
<b>r</b>	Elm	5	N 33 E	22
<b>r</b>	Ironwood	12	N 30 W	28
<b>s</b>	R. Oak	17	N 69 1/2 E	60
<b>S</b>	Sugar	16	N 45 W	52
<b>s</b>	Hickory	15	N 22 E	32
<b>s</b>	N. Oak	14	N 64 W	56
<b>s</b>	N. Oak	15	N 29 E	31
<b>T</b>	R. Oak	16	N 57 1/2 W	254
<b>t</b>	N. Oak	17	S 27 1/2 E	210
<b>t</b>	Corners in pond			
<b>U</b>	N. Oak	30	N 57 1/2 E	44
<b>u</b>	N. Oak	12	S 46 1/2 E	149

## Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	Beech	18	N 50 W	42
	Sugar	15	S 37 E	68 1/2
23, 24, 25, 26,	Beech	18	N 75 W	35
	Lynn	20	S 55 E	55
13, 14, 23, 24,	Sugar	14	S 36 1/2 E	23
	Beech	30	N 77 W	17
11, 12, 13, 14,	Beech	10	N 53 1/2 E	9
	Neglected			
1, 2, 11, 12,	Beech	12	N 37 1/2 E	48
	R. Oak	6	S 25 W	27
26, 27, 34, 35,	Jack Oak	6	S 38 1/2 E	68
	Jack Oak	6	N 11 W	124
22, 23, 26, 27,	N. Walnut	24	N 56 E	30
	N. Walnut	8	S 80 W	19
14, 15, 22, 23,	Sugar	24	N 55 1/2 E	25
	Sugar	10	S 55 W	38
10, 11, 14, 15,	Beech	24	S 77 E	34
	Beech	24	N 67 W	39
2, 3, 10, 11,	Beech	20	S 75 W	4
	R. Oak	10	S 89 E	34
27, 28, 33, 34,	N. Oak	10	S 30 W	29
	N. Oak	10	N 31 1/2 E	50
21, 22, 27, 28,	N. Oak	14	S 80 E	13
	N. Oak	18	S 81 1/2 W	14
15, 16, 21, 22,	Sugar	12	N 64 E	43
	N. Walnut	12	S 44 W	45
9, 10, 15, 16,	Beech	15	S 35 E	7
	Beech	18	N 63 1/2 W	34
3, 4, 9, 10,	N. Oak	36	N 58 W	36
	Beech	30	S 71 1/2 E	35
28, 29, 32, 33,	Ash	20	N 21 1/2 E	24
	R. Oak	20	S 48 1/2 W	28
20, 21, 28, 29,	Post-			
16, 17, 20, 21,	Post-			
8, 9, 16, 17,	Beech	12	N 72 1/2 E	33
	Beech	10	S 75 W	35
4, 5, 8, 9,	Beech	18	S 62 1/2 W	11
	Beech	6	N 69 1/2 E	69
29, 30, 31, 32,	Ash	10	N 31 1/2 E	34
	Lynn	4	S 24 1/2 W	22
19, 20, 29, 30,	R. Oak	6	S 51 E	15
	Aspen	6	N 56 W	29
17, 18, 19, 20,	Beech	18	S 59 1/2 W	16
	Beech	20	N 50 1/2 E	59
7, 8, 17, 18,	Beech	—	S 80 E	24
	Beech	24	N 66 1/2 W	35
5, 6, 7, 8,	Sugar	10	N 85 W	17
	Lynn	16	S 64 1/2 E	4

## Interior Quarter Section Corners Described.


Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
<b>M to U at 1</b>	Beech	8	S 87 W	46
	Sugar	14	N 39 1/2 W	38
<b>2</b>	Aspen	8	N 62 E	18
	U. Oak	6	S 23 1/2 W	13
<b>3</b>	N. Oak	30	S 21 E	56
	R. Oak	24	N 51 1/2 W	37
<b>4</b>	Elm	12	East	141 1/2
	N. Oak	48	S 89 W	718
<b>5</b>	Elm	12	N 53 1/2 W	33
	Maple	8	S 51 1/2 W	10
<b>6</b>	N. Oak	24	N 59 1/2 E	48
	N. Oak	12	S 41 1/2 W	35
<b>L to P at 1</b>	Hickory	8	N 45 1/2 E	40
	Gray Ash	12	S 58 W	18
<b>2</b>	Hickory	8	S 74 1/2 W	14
	Elm	10	N 78 1/2 E	9
<b>3</b>	Beech	8	S 53 1/2 E	6
	Sugar	8	N 64 1/2 E	32
<b>4</b>	Burn Oak	12	S 31 E	180
	R. Oak	10	N 23 W	186
<b>5</b>	N. Oak	18	N 15 1/2 W	49
	N. Oak	18	S 15 1/2 W	59
<b>6</b>	Elm	8	N 8 W	26
	R. Oak	20	S 4 W	70
<b>K to W at 1</b>	Beech	10	S 22 E	24
	Beech	18	N 29 W	22
<b>2</b>	Ash	20	N 64 1/2 W	50
	Sugar	15	S 55 1/2 W	24
<b>3</b>	Ironwood	6	S 54 E	50
	Sugar trees	24	N 63 1/2 W	47
<b>4</b>	Beech	10	S 70 1/2 W	45
	Beech	18	N 32 E	25
<b>5</b>	Beech	24	N 7 E	43
	Beech	10	S 24 1/2 W	30
<b>6</b>	Ironwood	8	S 64 E	48
	R. Oak	10	N 36 1/2 W	38
<b>I to X at 1</b>	Beech	18	N 21 W	13
	Beech	20	S 41 W	37
<b>2</b>	Beech	22	S 63 W	39
	Sugar	15	N 53 E	71
<b>3</b>	Poplar	20	N 9 E	34
	Hickory	10	S 36 E	22
<b>4</b>	Sugar	24	North	4
	Beech	5	S 35 W	30
<b>5</b>	Sup. Ash	5	S 73 1/2 W	3
	Sup. Ash	5	N 61 E	26
<b>6</b>	Elm	4	N 53 1/2 W	31
	Ash	6	S 21 E	48
<b>H to Y at 1</b>	Beech	6	S 49 1/2 W	23
	Gray Ash	15	N 79 E	34
<b>2</b>	Elm	6	S 35 W	12
	Ash	5	N 18 E	18
<b>3</b>	Sugar	12	N 52 E	19
	Ironwood	6	S 6 1/2 W	47
<b>4</b>	Sugar	12	N 15 1/2 W	10
	Ironwood	4	S 67 E	10
<b>5</b>	Beech	18	N 26 W	25
	Hickory	10	S 22 W	9
<b>6</b>	Poplar	10	N 20 1/2 E	13
	R. Oak	10	S 11 1/2 W	30
<b>O to F at 1</b>	U. Oak	6	N 48 1/2 E	48
	N. Oak	10	S - W	26
<b>2</b>	Beech	24	N 52 E	29
	Beech	24	S 21 1/2 W	86
<b>3</b>	Beech	24	S 60 E	34
	Sugar	24	N 60 W	26
<b>4</b>	Sugar	8	S 42 E	25
	Ash	20	N 75 1/2 W	29
<b>5</b>	Sugar	20	N 18 E	10
	Beech	18	S 31 1/2 W	32
<b>6</b>	Elm	20	N 51 1/2 W	29
	Gray Ash	30	S 36 1/2 E	65

<b>P to E at 1</b>	Sugar	24	S 124 E	28
	Walnut	8	N 21 1/2 W	33
<b>2</b>	Beech	12	S 46 E	12
	Lynn	40	N 82 1/2 E	7
<b>3</b>	Beech	18	S 50 1/2 W	25
	N. Walnut	4	N 86 E	36
<b>4</b>	Ash	22	S 69 W	24
	Beech	15	N 80 E	46
<b>5</b>	Sugar	15	N 64 E	27
	U. Oak	5	S 69 W	40
<b>6</b>	Poplar	18	S 30 E	30
	U. Oak	6	S 70 W	19
<b>Q to D at 1</b>	N. Oak	30	S 85 E	30
	R. Oak	12	N 66 1/2 W	22
<b>2</b>	N. Oak	20	North	50
	N. Oak	15	S 3 E	64
<b>3</b>	R. Oak	18	N 86 E	30
	R. Walnut	18	N 59 W	61
<b>4</b>	Ironwood	6	S 55 W	16
	Beech	12	N 20 W	15
<b>5</b>	Cherry	10	S 32 1/2 E	16
	Cherry	12	N 24 W	24
<b>6</b>	Beech	10	N 21 1/2 W	51
	Beech	—	S 41 1/2 E	9
<b>R to C at 1</b>	Beech	24	S 83 1/2 E	54
	Sugar	14	S 83 1/2 W	38
<b>2</b>	R. Oak	20	N 51 W	240
	N. Oak	21	N 84 1/2 W	263
<b>3</b>	Elm	18	— 70 1/2 E	30
	Lynn	12	S 39 1/2 W	39
<b>4</b>	Beech	10	N 63 1/2 E	23
	Ironwood	4	S 59 1/2 W	23
<b>5</b>	Beech	14	S 37 1/2 W	47
	Hickory	6	N 21 E	26
<b>6</b>	Beech	22	N 42 E	18
	Lynn	10	S 36 W	22
<b>S to B at 1</b>	N. Oak	18	S 55 E	25
	N. Oak	30	N 35 1/2 W	36
<b>2</b>	R. Oak	18	S 21 E	16
	R. Oak	18	N 24 W	41
<b>3</b>	Sugar	8	N 54 E	43
	Beech	18	N 53 W	57
<b>4</b>	Ash	4	S 42 1/2 E	12
	N. Walnut	6	N 6 W	22
<b>5</b>	N. Oak	72	N 63 W	29
	Beech	18	S 66 E	63
<b>6</b>	N. Oak	24	S 81 W	200
	N. Oak	20	N 60 W	189



Township N<sup>o</sup> 36 N. Range N<sup>o</sup> 5 West 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

53



Surveyed in 1834 by William Clark, Deputy Surveyor.

Scale, 40 chains to an inch.

I certify that the above is a true copy of the Original plot in this Office.

Surveyor General's Office,  
Detroit Nov. 1, 1849

Lucius Lyon,

Sur. Genl.